

LIST PRICE

Domestic Cables

Single Core 0.5 To 6 Sqmm
Standard Packing 90/180/270 Meters

Flexible Cables

Single Core And Multi Core
Standard Packing 100 meters

Flat Submersible Cables

3 Core Cables For Pump Motors



Gloster Cables Limited



Manufacturing As Per
IS 694 : 2010 Standards

ISO 9001:2015



DNV Certification B.V., The Netherlands

Safety Is Not Expensive. It Is Priceless !!!!!



TRIPLE LAYER FRLSH



HR-FRLSH+FRLSH+FRLSH

(Heat Resistant+Flame Retardant+Low Smoke+Low Halogen)



Safety Is Not Expensive. It Is Priceless !!!!!

PRICE LIST FOR DOMESTIC CABLES


90 Meters

PRICE LIST NO : GCL/DOM/MAY-2026

WITH EFFECT FROM :21/05/2026

“GLOSTER” Single Core Unsheathed **TRIPLE LAYER FRLSH** : HR-FRLSH+FRLSH+FRLSH
(Heat Resistant+Flame Retardant+Low Smoke+Low Halogen) PVC Insulated Heavy Duty Industrial Cable
With Flexible Bright Annealed Electrolytic Copper Conductor For Voltage Grade Up To 1100 Volts Conforming
To IS : 694 As Amended Up To Date.

Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil (90 Meters)	No. Of Coils In Master Carton
0.50	16/0.20	1530	28 Coils
0.75	24/0.20	2145	24 Coils
1.00	32/0.20	2705	16 Coils
1.50	30/0.25	3890	12 Coils
2.50	50/0.25	6345	8 Coils
4.00	56/0.30	9900	6 Coils
6.00	84/0.30	14800	4 Coils



As per international practice (also adopted by BIS), Size of the conductor is decided by its resistance only.
Construction of conductor, indicated in the list price, are only for guidelines and as per market convention.

Terms And Conditions :

HSN CODE : 85446020

Prices are exclusive of GST and other taxes.

Freight : FOR for order value above 5 Lakhs within Telangana
FOR for order value above 10 Lakhs outside Telangana

Packing : 90 meters in mono carton box, 180 and 270 meters in poly pouch.

Shipping : Packed in corrugated master boxes.

This price list supercedes all our earlier price lists and is subject to change without prior notice.

www.glostercable.com

TRIPLE LAYER FRLSH



HR-FRLSH+FRLSH+FRLSH

(Heat Resistant+Flame Retardant+Low Smoke+Low Halogen)



Safety Is Not Expensive. it Is Priceless !!!!!

PRICE LIST FOR DOMESTIC CABLES


180 Meters

PRICE LIST NO : GCL/DOM/MAY-2026

WITH EFFECT FROM :21/05/2026

“GLOSTER” Single Core Unsheathed **TRIPLE LAYER FRLSH** : HR-FRLSH+FRLSH+FRLSH
(Heat Resistant+Flame Retardant+Low Smoke+Low Halogen) PVC Insulated Heavy Duty Industrial Cable
With Flexible Bright Annealed Electrolytic Copper Conductor For Voltage Grade Up To 1100 Volts Conforming
To IS : 694 As Amended Up To Date.

Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil (180 Meters)	No. Of Coils In Master Carton
0.75	24/0.20	4290	12 Coils
1.00	32/0.20	5410	8 Coils
1.50	30/0.25	7780	6 Coils
2.50	50/0.25	12690	4 Coils
4.00	56/0.30	19800	3 Coils
6.00	84/0.30	29600	2 Coils



As per international practice (also adopted by BIS), Size of the conductor is decided by its resistance only.
Construction of conductor, indicated in the list price, are only for guidelines and as per market convention.

Terms And Conditions :

HSN CODE : 85446020

Prices are exclusive of GST and other taxes.

Freight : FOR for order value above 5 Lakhs within Telangana

FOR for order value above 10 Lakhs outside Telangana

Packing : 90 meters in mono carton box, 180 and 270 meters in poly pouch.

Shipping : Packed in corrugated master boxes.

This price list supercedes all our earlier price lists and is subject to change without prior notice.

www.glostercable.com

PRICE LIST FOR FLEXIBLE CABLES

Rate/100 Meters



Safety Is Not Expensive. it Is Priceless !!!!!

PRICE LIST NO : GCL/FLEX/MAY-2026

WITH EFFECT FROM :21/05/2026



"GLOSTER" SINGLE CORE Unsheathed **FRLSH** PVC Insulated Industrial Cables With Flexible Bright Annealed Copper Conductor For Voltage Grade Up To 1100 Volts Conforming To IS : 694 As Amended Up To Date.

Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil	Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil	Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil
10.00	80/0.40	32555	70.00	360/0.50	218900	240.00	1221/0.50	744120
16.00	126/0.40	50140	95.00	475/0.50	289287	300.00	1525/0.50	930165
25.00	196/0.40	77455	120.00	608/0.50	373100	400.00	2013/0.50	1224950
35.00	276/0.40	108005	150.00	750/0.50	461815	500.00	1769/0.50	1542125
50.00	396/0.40	154745	185.00	925/0.50	563640	630.00	2196/0.50	1950825

2-Core Flexible Cables

Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil	Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil	Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil
0.5	16/0.20	4150	4.00	56/0.30	26375	35.00	276/0.40	220295
0.75	24/0.20	5785	6.00	84/0.30	39000	50.00	396/0.40	312520
1.00	32/0.20	7265	10.00	80/0.40	65475	70.00	360/0.50	443185
1.50	30/0.25	10315	16.00	126/0.40	102050	95.00	475/0.50	584900
2.50	50/0.25	16810	25.00	196/0.40	156590	120.00	608/0.50	746155

As per international practice (also adopted by BIS), Size of the conductor is decided by its resistance only. Construction of conductor, indicated in the list price, are only for guidelines and as per market convention.

Terms And Conditions :

HSN CODE : 85446020

Prices are exclusive of GST and other taxes.

Freight : FOR for order value above 5 Lakhs within Telangana

FOR for order value above 10 Lakhs outside Telangana

Packing : 100 meters coils, poly wrapped. Longer lengths also can be supplied as per requirement.

This price list supercedes all our earlier price lists and is subject to change without prior notice.

www.glostercable.com

PRICE LIST FOR FLEXIBLE CABLES

Rate/100 Meters



Safety Is Not Expensive. it Is Priceless !!!!!

PRICE LIST NO : GCL/DOM/MAY-2026

WITH EFFECT FROM :21/05/2026

3-Core Flexible Cables

"GLOSTER" Multi Core PVC Insulated, PVC Sheathed Industrial Cables With Flexible Bright Annealed Copper Conductor
For Voltage Grade Up To 1100 Volts Conforming/Generally Conforming To IS : 694 As Amended Up To Date.

Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil	Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil	Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil
0.5	16/0.20	5915	4.00	56/0.30	38410	35.00	276/0.40	321885
0.75	24/0.20	8110	6.00	84/0.30	57065	50.00	396/0.40	460985
1.00	32/0.20	10430	10.00	80/0.40	95775	70.00	360/0.50	650255
1.50	30/0.25	14850	16.00	126/0.40	149485	95.00	475/0.50	861030
2.50	50/0.25	24240	25.00	196/0.40	232145	120.00	608/0.50	1094575

4-Core Flexible Cables

Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil	Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil	Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil
0.5	16/0.20	7675	4.00	56/0.30	50785	35.00	276/0.40	427710
0.75	24/0.20	10720	6.00	84/0.30	75325	50.00	396/0.40	611805
1.00	32/0.20	13620	10.00	80/0.40	127425	70.00	360/0.50	865850
1.50	30/0.25	19650	16.00	126/0.40	196470	95.00	475/0.50	1136230
2.50	50/0.25	32105	25.00	196/0.40	307640	120.00	608/0.50	1455135

As per international practice (also adopted by BIS), Size of the conductor is decided by its resistance only.
Construction of conductor, indicated in the list price, are only for guidelines and as per market convention.

Terms And Conditions :

HSN CODE : 85446020

Prices are exclusive of GST and other taxes.

Freight : FOR for order value above 5 Lakhs within Telangana

FOR for order value above 10 Lakhs outside Telangana

Packing : 100 meters coils, poly wrapped. Longer lengths also can be supplied as per requirement.

This price list supercedes all our earlier price lists and is subject to change without prior notice.

www.glostercable.com

PRICE LIST FOR FLEXIBLE CABLES

Rate/100 Meters



Safety Is Not Expensive. it Is Priceless !!!!!

PRICE LIST NO : GCL/FLEX/MAY-2026

WITH EFFECT FROM :21/05/2026

5 Core To 10 Core Flexible Cables

"GLOSTER" Multi Core PVC Insulated, PVC Sheathed Industrial Cables With Flexible Bright Annealed Copper Conductor
For Voltage Grade Up To 1100 Volts Conforming/Generally Conforming To IS : 694 As Amended Up To Date.

Size (Sqmm)	No. Of Wires Wire Dia	5-Cores	6-Cores	7-Cores	8-Cores	10-Cores
0.5	16/0.20	9715	11655	13485	15430	18780
0.75	24/0.20	14245	16500	19395	21900	26965
1.00	32/0.20	17280	20525	24290	26905	34785
1.50	30/0.25	24630	29175	34020	36675	48790
2.50	50/0.25	41240	47550	53945	61290	79705
4.00	56/0.30	62045	76175	88065	97270	126055
6.00	84/0.30	94125	112245	130335	149670	201495

12 Core To 24 Core Flexible Cables

Size (Sqmm)	No. Of Wires Wire Dia	12-Cores	14-Cores	16-Cores	19-Cores	24-Cores
0.5	16/0.20	22340	26015	30100	35175	44655
0.75	24/0.20	31920	36710	43340	49675	62215
1.00	32/0.20	41055	47745	54330	64570	80135
1.50	30/0.25	58945	69080	76510	89665	117730
2.50	50/0.25	91295	107290	122215	149020	184825
4.00	56/0.30	146150	168605	194720	230985	310080
6.00	84/0.30	220735	265895	302645	361865	421545

As per international practice (also adopted by BIS), Size of the conductor is decided by its resistance only.
Construction of conductor, indicated in the list price, are only for guidelines and as per market convention.

Terms And Conditions :

HSN CODE : 85446020

Prices are exclusive of GST and other taxes.

Freight : FOR for order value above 5 Lakhs within Telangana

FOR for order value above 10 Lakhs outside Telangana

Packing : 100 meters coils, poly wrapped. Longer lengths also can be supplied as per requirement.

This price list supercedes all our earlier price lists and is subject to change without prior notice.

www.glostercable.com

PRICE LIST FOR 3 CORE FLAT SUBMERSIBLE CABLES Rate/100 Meters



PRICE LIST NO : GCL/FLAT/MAY-2026

WITH EFFECT FROM :21/05/2026

“GLOSTER” Three Core Flat Cables With Bunched Copper Conductor, PVC Insulated, PVC Sheathed For Submersible Pump Motors For Voltage Grade Up To 1100 Volts Conforming To IS : 694 As Amended Up To Date.

Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil	Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil	Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil
1.50	30/0.25	14860	2.50	50/0.25	23060	4.00	56/0.30	34410

“GLOSTER” Three Core Flat Cables With Bunched Copper Conductor, PVC Insulated, PVC Sheathed For Submersible Pump Motors For Voltage Grade Up To 1100 Volts Generally Conforming To IS : 694 As Amended Up To Date.

Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil	Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil	Size (Sqmm)	No. Of Wires Wire Dia	Rate Per Coil
6.00	84/0.30	51455	10.00	80/0.40	89390	16.00	126/0.40	137555
25.00	196/0.40	217215				35.00	276/0.40	297210

Prices For Other Sizes, Not Covered In The List Price, Will Be Provided On Request.

Safety Is Not Expensive. it Is Priceless !!!!!

As per international practice (also adopted by BIS), Size of the conductor is decided by its resistance only. Construction of conductor, indicated in the list price, are only for guidelines and as per market convention.

Terms And Conditions :

Prices are exclusive of GST and other taxes.

HSN CODE : 85446020

Freight : FOR for order value above 5 Lakhs within Telangana

FOR for order value above 10 Lakhs outside Telangana

Packing : 500/1000 meters in wooden drums. Longer lengths also can be supplied as per requirement.

This price list supercedes all our earlier price lists and is subject to change without prior notice.

www.glostercable.com